




# Key Duplicating Machine

**ELIS®**

**To resolve your problem of duplicating keys in any special length.**



## No. 707W


Dimensions: (W)33x(D)31x(H)26cm  
N. W.: 16Kgs  
Motor: AC: 110V or 220(240)V  
50Hz or 60Hz  
60W



For duplicating all types of mortise bit, double bit, pipe and pump keys. Suitable for any length of keys.



For duplicating cylinder keys, car and cruciform keys. Suitable for any length of keys.




## No. 009W

Dimensions: (W)38x(D)29x(H)26cm  
N. W.: 16.5Kgs  
Motor: AC: 110V or 220(240)V  
50Hz or 60Hz  
60W




For duplicating cylinder keys, car and cruciform keys. Suitable for any length of keys.



## No. 009

Dimensions: (W)38x(D)29x(H)26cm  
N. W.: 16.5Kgs  
Motor: AC: 110V or 220(240)V  
50Hz or 60Hz  
60W



# Key Duplicating Machine



## No. 306A

Dimensions:  
(W)26x(D)28x(H)39cm  
N. W.: 16Kgs  
Motor: AC: 110V or 220(240)V  
50Hz or 60Hz  
1/12Hp  
DC: 12V 80W



## No. 306B

Dimensions:  
(W)26x(D)28x(H)39cm  
N. W.: 16.5Kgs  
Motor: AC: 110V or 220(240)V  
50Hz or 60Hz  
1/12Hp  
DC: 12V 80W



## No. 306A-1

Dimensions:  
(W)28x(D)28x(H)39cm  
N. W.: 16.5Kgs  
Motor: AC: 110V or 220(240)V  
50Hz or 60Hz  
1/12Hp  
DC: 12V 80W



## No. 306B-1

Dimensions:  
(W)28x(D)28x(H)39cm  
N. W.: 17Kgs  
Motor: AC: 110V or 220(240)V  
50Hz or 60Hz  
1/12Hp  
DC: 12V 80W



## No. 306A-W

Dimensions:  
(W)27x(D)28x(H)39cm  
N. W.: 16.5Kgs  
Motor: AC: 110V or 220(240)V  
50Hz or 60Hz  
1/12Hp  
DC: 12V 80W



## No. 306B-W

Dimensions:  
(W)27x(D)28x(H)39cm  
N. W.: 17Kgs  
Motor: AC: 110V or 220(240)V  
50Hz or 60Hz  
1/12Hp  
DC: 12V 80W

No. 306A No. 306A-1 No. 306A-W



No. 306B No. 306B-1 No. 306B-W



- No. 306A, 306A-1, 306A-W: to duplicate the same keys
- No. 306B, 306B-1, 306B-W: to duplicate the same keys
- A series and B series have different vise, B series can duplicate SB type keys.

- No. 306A-1, 306B-1: having the lever on left side to control the vise for four directions, forward, backward, left and right.
- No. 306A-W, No. 306B-W: having the lever on left side to control the vise forward and backward, and the wheel handle in front to control the vise to left and to right.



# Key Duplicating Machine



**No. 336A-1**

Dimensions: (W)28x(D)28x(H)43cm  
N. W.: 19.5Kgs  
Motor: AC: 110V or 220(240)V  
50Hz or 60Hz 1/12Hp  
DC: 12V 80W



**No. 336B-1**

Dimensions: (W)28x(D)28x(H)43cm  
N. W.: 22Kgs  
Motor: AC: 110V or 220(240)V  
50Hz or 60Hz 1/12Hp  
DC: 12V 80W



**No. 007A**

Dimensions: (W)25x(D)24x(H)15cm  
N. W.: 5Kgs  
Motor: AC: 110V or 220(240)V  
50Hz or 60Hz 1/12Hp  
DC: 12V 80W



**No. 007AW**

Dimensions: (W)32x(D)24x(H)15cm  
N. W.: 6Kgs  
Motor: AC: 110V or 220(240)V  
50Hz or 60Hz 1/12Hp  
DC: 12V 80W




**No. 336A-W**

Dimensions: (W)27x(D)28x(H)43cm  
N. W.: 19.5Kgs  
Motor: AC: 110V or 220(240)V  
50Hz or 60Hz 1/12Hp  
DC: 12V 80W






**No. 336B-W**

Dimensions: (W)27x(D)28x(H)43cm  
N. W.: 22Kgs  
Motor: AC: 110V or 220(240)V  
50Hz or 60Hz 1/12Hp  
DC: 12V 80W



- No. 007A, 007AW: portable type, easy to operate.
- No. 007AW: having wheel handle on right side to control the vise.
- No. 007A, 007AW: these models including one piece of thick cutter for duplicating cylinder keys. There is also extra thin cutter for professionals to change to duplicate mortise keys.




**No. 103**

It is specialized in duplicating tubular keys.  
Dimensions: (W)38x(D)12x(H)10cm  
N. W.: 3.5Kgs  
Motor: AC: 110V or 220(240)V  
50Hz or 60Hz 1/12Hp




- No.336A-1, 336B-1, 336A-W, 336B-W: each model including two vises, and the vise table having rail for easy changing the vise. One vise is for duplicating keys of every lock and car; another vise is for every size of tubular keys.
- Except the above character, these models have same functions as No.306 series.




# Key Duplicating Machine

Single angle (V type)




Double angle (U type)



**No. 530-A or No. 530-B**

Dimensions: (W)37x(D)30x(H)22cm  
N. W.: 22Kgs  
Motor: AC: 110V or 220(240)V  
50Hz or 60Hz 1/4Hp  
DC: 12V 100W



**No. 101-B or No. 101-U**

Dimensions: (W)37x(D)30x(H)23cm  
N. W.: 24Kgs  
Motor: AC: 110V or 220(240)V  
50Hz or 60Hz 1/4Hp  
DC: 12V 100W


- No. 530-A, 530-B: to duplicate the same keys. Both these models have same thin cutter on right side to duplicate mortise keys. On left side, model 530-A has V type ø70mm thick cutter, and model 530-B has U type ø70mm thick cutter for duplicating cylinder keys. These two models are equipped abloy vise to duplicate abloy type keys.

- No. 101-B, 101-U: to duplicate the same keys. Both these models have same thin cutter on right side to duplicate mortise keys. On left side, model 101-B has V type ø60mm thick cutter, and model 101-U has U type ø60mm thick cutter for duplicating cylinder keys. These two models are equipped abloy vise to duplicate abloy type keys.



**No. 102 or No. 102-U**

Dimensions: (W)28x(D)30x(H)23cm  
N. W.: 18.5Kgs  
Motor: AC: 110V or 220(240)V  
50Hz or 60Hz 1/4Hp  
DC: 12V 100W



**No. 102X or No. 102X-U**

Dimensions: (W)28x(D)30x(H)23cm  
N. W.: 18.5Kgs  
Motor: AC: 110V or 220(240)V  
50Hz or 60Hz 1/4Hp  
DC: 12V 100W

- No. 102, 102-U, 102X, 102X-U: to duplicate the same keys. No. 102, 102X are equipped V type ø60mm thick cutter. No. 102-U, 102X-U are equipped U type ø60mm thick cutter.

- No. 102X, 102X-U: having lever on left side to control the vise. No. 102, 102-U having wheel handle on right side to control the vise.

**ELIS • ARCO** [www.elis.com.tw](http://www.elis.com.tw)

9F, NO. 75 ZHOULI ST., NEIHU DISTRICT TAIPEI CITY 114, TAIWAN, R.O.C.

Tel: +886-2-2627 4132 Fax: +886-2-2627 5128